

Requirements

👤 Requirements 👤:

Requisitos



The necessary requirements to follow this course would be installed the following softwares:

- [Beckhoff TwinCAT 3 XAE](#) or the ide of [Codesys](#).
- Have a user account in [GitHub](#).
- Know the minimum of git or rely on visual tools such as:
 - [GitHub Desktop](#).
 - [sourcetree](#)
 - [tortoiseGit](#), etc...
- It would be good to have some previous knowledge of OOP theory, even if they are in other programming languages since they will be extrapolated to the approach of this OOP course IEC61131-3 for PLCs.

STEPS TO START :


- Clone the repository of [GitHub](#):

```
$ git clone https://github.com/runtimevic/OOP-IEC61131-3--Curso-Youtube.git
```


or use for example github desktop to clone Github's repository...

Introduction

Object-oriented programming course YouTube - OOP:



by Runtimevic -- Víctor Durán Muñoz.

What is Oop?

- It is a paradigm that makes use of objects for software construction.
- . What is a paradigm?
 - It has different interpretations, it can be a **model**, **example** o **pattern**.
 - Is a **form** o o **style** to program.
 - It seeks to capture reality towards the code.


How to think about objects?

- To focus on **Something of reality**.
- Details its **attributes**, (**properties**)
- Details its **behaviors** (**METHODS**)

Types of paradigms

Types of Paradigms:

- **Imperative** (e.g. Instructions to follow to solve a problem).
- **Declarative** (e.g. focuses on the problem to solve).
- **Structured** (The solution to a problem follows a sequence from start to finish).
- **Functional** (Divide the problem into various solutions that will be executed by the declared functions). Procedural programming or procedure programming paradigm. Many times it is applicable both in low-level programming languages and in high-level languages. In the event that this technique is applied in high-level languages, it will receive the name of functional programming.
 - They are called separate routines from the main program.
 - Most global data -> No protection.
 - The procedures can usually be independent -> bad reuse of the code.



- **Object-oriented** Build objects based on objects.

```
1 wikipedia:  
2 Object-oriented programming is a programming paradigm  
3 Based on the concept of "objects", which can contain data and code.  
4 The data is in the form of fields and the code is in the form of  
   procedures.
```

Type of Data

Variable types and special variables

Access modifiers

Access Modifiers Table

Classes and Objects

Function Block

Function Block Access Modifiers

Function Block Declaration variables

Constructor and Destructor

Method

Method access modifiers

Method Declaration of variables

Method return variable types

Object Property

Inheritance Function Block

Inheritance function block:

The function blocks are an excellent medium to maintain the sections of the program separated from each other. This improves the structure of the software and significantly simplifies reuse. Previously, expanding the functionality of an existing block of functions was a delicate task. This meant modifying the code or programming a new block of functions around the existing block (that is, the existing functions block was effectively embedded within a new block of functions). In the last case, it was necessary to create all input variables again and assign them to the input variables for the existing functions block. The same was required, in the opposite, for the output variables.

TwinCAT 3 and Codesys (IEC 61131-3) introduce the concept of inheritance. Inheritance is the fundamental principles of object-oriented programming. The inheritance implies deriving a new block of functions from an existing block of functions. Next, you can expand the new block. To the extent allowed by the access specifier of the main functions block, the new block of functions inherits all the properties and methods of the main functions block. Each block of functions can have any number of blocks of secondary functions, but only a block of main functions. The derivation of a block of functions is produced in the new statement of the Functions Block. The name of the new block of functions is followed by the keyword `EXTENDS` followed by the name of the main functions block. For example:

```
1 FUNCTION_BLOCK PUBLIC FB_NewEngine EXTENDS FB_Engine
```

The new block of derived functions (`FB_NewEngine`) has all the properties and methods of its father (`FB_Engine`). However, the methods and properties are only inherited when the access specifier allows it.

The secondary functions block also inherits all **local, VAR_INPUT, VAR_OUTPUT** and **VAR_IN_OUT** of the main functions block. This behavior cannot be modified by access specifiers.

If the methods or properties of the main functions block have been declared as a private, the secondary functions block (`FB_NewEngine`) will be able to access them, but not from outside `FB_NewEngine`.

The inheritance applies only to the Property type function block.

Inheritance Structure



Inheritance Interface



THIS pointer

SUPER pointer

Interface

pointer and reference

Keyword Abstract

Abstract FB vs Interface

Fluent Interface

Interface vs Inheritance

Further operators

Extended Structured Text

EXST - Extended Structured Text:

- [Structured Text and Extended Structured Text \(EXST\)](#), infosys.beckhoff.com

4 Pillars

Abstraction

Encapsulation

Inheritance

Polymorphism

SOLID

SRP - Single Responsibility Principle

OCP - Open/Closed Principle

LSP - Liskov Substitution Principle

ISP - Interface Segregation Principle

DIP - Dependency Inversion Principle

UML

Class UML

Relations

StateChart UML

Types of Design for PLC programming

Types of design for PLC programming :

Development engineering for OOP programming - Component design, unit, device, objects
Objects are the basic object-oriented programming units. - A component provides services, while an object provides operations and methods. A component can be understood by all, while an object can only be understood by developer. - The units are the smallest code groups that can be maintained and executed independently - Design for unit tests. - UML design.

Units: (Example of units) : - InputDigital (p_On, p_Off) - OutputDigital (M_ InputAnalog - OutputAnalog - Run: (M_Start, M_Stop)

- FBTimer - FC Analog Sensor - FB Generic Unit

!!! points that can be included in the course!!! : - Objects composition (Composition of objects)

- Basic of Structured Text programming Language
- UDT (structures)
- Modular Design
- Polymorphism
- Advanced State Pattern
- Wrappers and Features
- Layered Design
- Final Project covering a real-world problem to be solved using OOP
- Structured text (ST), Extended structured text (EXST)

Design patterns

Strategy Pattern

The Abstract Factory Pattern

The Visitor Design Pattern

Libraries

Libraries:

When you develop a project, what do you do when you want to reuse the same program for another project? Probably the most common is to copy and paste. This is fine for small projects but as the application grows, libraries allow us to administer the functions and functions blocks that we have created.

Through the use of libraries, we can administer the software that we have created in multiple projects. First, it is a fact that different devices will have different functions, but still always be common parts. In the world of software development, that concept of library management is quite common.

What are the advantages of using the library?

- The software is modular, for example, if I have a cylinder software, I can use the library, and if I have a registration software, I can use the registration library.
- Each library is tested independently.

Links Libraries:

- [soup01.com, bechhof twincat3 - library - management](#)
- [PLC programming using TwinCAT 3 - Libraries \(Part 11 / 18\)](#)
- [help.codesys.com, _cds_obj_library_manager/](#)
- [help.codesys.com, _cds_library_development_information/](#)
- [help.codesys.com, _tm_test_action_libraries_add_library](#)
- [CODESYS Webinar Library Management Basics](#)
- [CODESYS - How to add libraries and more with Machine Control Studio.](#)

Links OOP

Links of OOP :

Mention to the sources links used to carry out this documentation:

TDD - Test Drive Development

Units Test